



Dhiman Systems (India) Pvt. Ltd.



Turning Dreams Into Sweet Reality



Dhiman Systems (India) Pvt. Ltd. was founded by third generation entrepreneur and grandson of founders of group in 1986. There was a spirit of excitement and optimism for moving to Hi-tech era. The main purpose of this unit was to develop latest, high speed and high technology machines in India when Indian market was getting age old models of machines.

DSIL is now manufacturing a wide range of machines for production of Candy, Toffee, Lollypop and Bubblegum. The machines ranges right from Cooking of batch to forming, cooling and wrapping of products. The machines manufactured are latest, high speed and high technology. DSIL machines are working with leading national and multinational companies in India and abroad.

DSIL is professionally managed company having a team of dedicated, qualified and competent people working for it who can rise up to any challenge. Most of the operations of the unit are computerized right from procurement of material to designing, production, marketing and finance etc.

The after sale service provided by DSIL is one of the best available. It is quite competent to design and develop new machines according to requirement of customers and their feedback. There is separate R & D department, which is always on job to design and develop latest high speed machines and improve them. Due to decades of intensive research and development today this company offers wide range of machines.

DSIL have mastered the concept of supplying complete confectionery plant and handing over to customers in full swing with complete know-how and personal training. Due to this the company has been able to build up an excellent international reputation.

DSIL is participating in various national and international exhibitions from time to time to keep their customers in touch with latest developments and trends. It is member of various trade and industry associations at national and international level.

Customer satisfaction, good quality, fair prices and fair dealing are the great strengths of DSIL.

Our Facility



Exporting to



Some of our Valuable Customers





Customer Satisfaction Through Continual Improvement in Quality, Technology, Innovation, Performance and Service



Confectionery Machines & Lab. Equipments

- Candy Line
- Toffee Line
- Lollipop Line
- Bubble Gum Line

* Logo of some of our valuable customers to whom we have supplied machines

CANDY PLANT

Capacity 6000 Kg./8 Hrs.



Syrup Tank

Model	DSST1000
Capacity	1000 Ltrs./batch
Drive	2 HP
Steam Cons.	100 Kg/batch
Dimensions	1900x1500x2000 mm
Weight	Net. 500 Kg. Gross. 800 Kg.



Continuous Batch Vacuum Cooker

Model	DSCC0750
Capacity	6000 Kg/8 Hrs.
Drive	3 + 7.5 HP
Batch Size	Adjustable 10-75 Kg.
Batch Time	Adjustable 5-30 Minutes
Dimensions	2700 x 1100 x 2100 mm
Weight	Net 2000 Kg. Gross 2570 Kg.



Powder Filling Machine

Model	DSPB0500
Capacity	As per forming Machine
Capacity	Capacity
Drive	0.5 HP
Dimensions	600 x 600 x 600 mm
Weight	Net 50 Kg., Gross 90 Kg.
Application	Powder filling in Candy/ Bubble/Ball Gum



Batch Fomer

Model	DSFL0100
Capacity	100 Kg/Batch
Drive	0.5 + 0.5 = 1 HP
Rope Dia	20 - 60 mm
Heater	1 Kw
Dimensions	2300 x 570 x 1700 mm
Weight	Net 450 Kg. Gross 850 Kg.




PULLING HEAD



Rope Sizer 5 Stage

Model	DSSH0005
Speed	110 Meter Rope/Minute
Drive	1 HP
Sizing Wheel	Input 41, Output 16 mm
Dimensions	1300 x 500 x 1320 mm
Weight	Net 400Kg. Gross 600 Kg.



Suger Batch Kneader

Model	DSKR0050/DSKP5050
Capacity	50 Kg/Batch
Drive	5 HP
Water Cons.	50 ltr./50 kg Mass
Dimensions	1880 x 1780 x 1550 mm
Side Plate	Left 1750 x 880 mm Right 1000 x 880 mm
Weight	Net 1350 Kg. Gross 1900 Kg.



Centre Filling Machine

Model	DSCF6000
Capacity	6000 Kg./8 Hrs.
Drive	1 HP
Dimensions	890 x 430 x 1445 mm
Weight	Net 250 Kg Gross 450 Kg.



High Speed Candy/ Eclair Forming Machine

Model	DSUP6000
Capacity	6000 Kg/8Hrs.*
Drive	7 HP
Min./Max Size	16x16 mm / 60x40 mm
Centre Filling	Liquid, Solid & Powder
Other App.	Gum Product Forming
Dimensions	1150 x 1100 x 1600 mm
Weight	Net 950 Kg. Gross 1300 Kg.



Three Way Cooling Conveyor

Model	DSCT6000
Capacity	6000 Kg/8 Hrs.
Blower	4 HP
Drive	3 HP
Wiremesh	1000 mm Width
Dimensions	6500 x 1200 x 1900mm
Weight	Net 1800 Kg. Gross 2800 Kg.



CANDY PLANT

Capacity 2000-4000 Kg./8 Hrs.



Vaccum Batch Cooker

Model	DSCV0050
Capacity	1000 Kg/8 Hrs.
Drive	1+5=6 HP
Batch Size	50 Kg/Batch
Batch Time	20-25 Minutes(Conditional)
Dimensions	1220 x 940 x 2000 mm
Weight	Net 500 Kg. Gross 900 Kg.



Batch Cooling Plate

Model	DSCP0050
Capacity	50 Kg/Batch
Water Required	1-50 Ltr/Hour
Cooling Area	1828 x 1220
Dimensions	1930 x 965 x 914 mm
Weight	Net 500 Kg. Gross 750 Kg.
Usage	Single Side Cooling



Batch Fomer

Model	DSFM0075
Capacity	75 Kg/Batch
Drive	0.5+0.5=1 HP
Rope Dia	20-60 mm
Heater	1 Kw
Dimensions	2300 x 570 x 1700 mm
Weight	Net 450 Kg. Gross 850Kg.



Vibrating Sieve

Model	DSCM1000
Application	Sorting of Scrap
Drive	0.5 H.P.
Dimensions	1000 x 750 x 600 mm
Weight	Net 400 Kg. Gross 650 Kg.



Spiral Sorter

Model	DSSS0004
Application	Sorting of under/ Over Size candies
Drive	0.5 HP
Number of Rollers	According to width of output conveyor
Dimensions	Depending on Rollers
Weight	Depending of Size



Sorter Thickness & Dia

Model	DSSD0006
Capacity	6000 Kg/8 Hrs.
Drive	0.5+0.5 HP
Dimensions	1000 x 1100 x 550 mm
Weight	Net 500 Kg. Gross 750 Kg.



PULLING HEAD



Candy With Hole



12" POP Die




12" Spring Type Die



Rope Sizer 3 Stage

Model	DSSO0003
Speed	60 Meter Rope/Minute
Drive	1 HP
Sizing Wheel	Input 33 Output 21 mm
Dimensions	810 x 500 x 1320 mm
Weight	Net 325 Kg. Gross 475 Kg.




12" Plast-O-Plast/Spring Type

Model	DSSR2000/DSST3000
Capacity	2000/3000 Kg/8 Hrs.*
Drive	3 HP + 0.25 HP
Min/Max. Size	10 x 10 mm / 60 x 40 mm
Dimensions	1370 x 990 x 1425 mm
Centre Filling	Powder and Semi Solid
Weight	Net 850Kg. Gross 1100Kg.

Three Way Cooling Conveyor

Model	DSCT3000
Capacity	3000 Kg/8 Hrs.*
Blower	3 HP
Wiremesh	100, 200, 300 mm
Dimensions	5180 x 550 x 940 mm
Weight	Net 650 Kg. Gross 1100 Kg.



Lab. Candy Forming Machine

Model	DSSR1000
Capacity	1000 Kg/8 Hrs.*
Drive	2 HP
Die Blower	0.5 HP
Min Size	16 x 16 mm
Max. Size	40 x 30 mm
Dimensions	900 x 800 x 1200 mm
Weight	Net 550 Kg. Gross 750 Kg.

Super Robust Candy Forming Machine

Model	DSSR4000
Capacity	4000 Kg/8 Hrs.*
Drive	5 HP
Die Blower	0.5 HP
Min Size	16 x 16 mm
Max. Size	60 x 40 mm
Dimensions	1100 x 1000 x 1200 mm
Weight	Net 850 Kg. Gross 1100 Kg.

Candy Wrapping Machine Double Twist

Model	DSCW0300/DSCW0450
Capacity	300/450 Pcs/Minute**
Drive	3 HP
Min. Size	16 x 12 x 5 mm
Max. Size	32 x 25 x 20 mm
Dimensions	1700 x 1575 x 1650 mm
Automation	No Sweet No Paper Mechanism
Heat/blower	1 Kw + 0.5 HP (optional)
Weight	Net 1100 Kg., Gross 1500 Kg.



TOFFEE PLANT

Capacity 500-750 Kg./8 Hrs.



Milk Powder Homogenizer

Model	DSHM0030
Capacity	30 Kg/Batch
Drive	0.5 HP
Dimensions	800 x 800 x 1200 mm
Weight	Net 300 Kg. Gross 450 Kg.



Toffee Cooker

Model	DSCT0100
Capacity	80-130 Kg/Batch
Drive	2 HP
Batch Time	20-25 Minutes (conditional)
Dimensions	1100 x 1100 x 2200 mm
Steam Pressure	120 LBS/Sq. Inch
Weight	Net 350 Kg., Gross 600 Kg.



Toffee Cooker

Model	DSCT0050
Capacity	50-60 Kg/Batch
Drive	1 HP
Batch Time	20-25 Minutes (conditional)
Dimensions	900 x 650 x 1500 mm
Weight	Net 700 Kg., Gross 950 Kg.



Batch Fomer

Model	DSFM0075
Capacity	75 Kg/Batch
Drive	0.5 + 0.5 = 1 HP
Rope Dia	20 - 60 mm
Heater	1 Kw
Dimensions	2300 x 570 x 1700 mm
Weight	Net 450 Kg. Gross 850 Kg.



Rope Sizer 4 Stage

Model	DSSO0004
Speed	75 Meter Rope/Minute
Drive	1 HP
Sizing Wheel	Input 33, Output 16 mm
Dimensions	1200 x 500 x 1200 mm
Weight	Net 500Kg. Gross 700 Kg.



Batch Cooling Plate

Model	DSCP0050
Capacity	50 Kg/Batch
Water Required	1-50 Ltr./hour
Cooling Area	1828 x 1220
Dimensions	1930 x 965 x 914 mm
Weight	Net 500 Kg., Gross 750 Kg.
Usage	Single Side



Sugar Pulling Machine

Model	DSSP1525/1535/1550
Capacity	25/35/50 Kg.
Drive	2/3/5 HP
Dimensions	850 x 750 x 750 mm (25Kg.)
Weight	Net 360 Kg., Gross 520 Kg. (25 Kg.)



Toffee Cut & Wrap

Model	DSTM300
Capacity	300 Pcs/Minute**
Drive	3 HP
Min. Size	16 x 12 x 5 mm
Max. Size	50 x 25 x 10 mm
Dimensions	1565 x 860 x 1820 mm
Wrapping Style	Double Twist / Single Twist
Weight	Nt. 1000 Kg. Gr. 1500 Kg.



Rope Cutting 4 Stage

Model	DSSC0004
Speed	75 Meter Rope/Minute
Drive	1 HP
Sizing Wheel	Input 33, Output 16 mm
Dimensions	1200 x 500 x 1200 mm
Weight	Net 500Kg. Gross 700 Kg.



LOLLIPOP PLANT

Round Capacity 1000 Kg./8 Hrs.



Vaccum Batch Cooker

Model	DSCV0050
Capacity	1000 Kg/8 Hrs.
Drive	1+5=6 HP
Batch Size	50 Kg/Batch
Batch Time	20-25 Minutes (Conditional)
Dimensions	1220 x 940 x 2000 mm
Weight	Net 500 Kg., Gross 900 Kg.



Batch Cooling Plate

Model	DSCP0050
Capacity	50 Kg/Batch
Water Required	1-50 Ltr. Hour
Cooling Area	1828 x 1220
Dimensions	1930 x 965 x 914 mm
Weight	Net 500 Kg. Gross 750 Kg.
Usage	Single Side Cooling



Batch Fomer

Model	DSFM0075
Capacity	75 Kg/Batch
Drive	0.5+0.5=1 HP
Rope Dia	20-60 mm
Heater	1 Kw
Dimensions	2300 x 570 x 1700 mm
Weight	Net 450 Kg., Gross 850Kg.



Liquid Filling Machine

Model	DSCF6000
Capacity	6000 Kg/8 Hrs.
Drive	1 HP
Dimensions	890 x 430 x 1445 mm
Weight	Net 250 Kg., Gross 450 Kg.




Powder Filling Machine

Model	DSPB0500
Capacity	As per forming Machine
Capacity	
Drive	0.5 HP
Dimensions	600 x 600 x 600 mm
Weight	Net 50 Kg., Gross 90 Kg.
Application	Filling in Candy/ Bubble/Ball Gum



Gum Filling Extruder

Model	DSEB0002
Capacity	1000 Kg/8 Hrs.*
Drive	5 HP
Rope Dia	As Required
Dimensions	1360 x 510 x 1200 mm
Rope Type	Hollow/ Solid/ Double Color any Shape
Weight	Nt. 500 Kg., Gr. 750 Kg.



PULLING HEAD

Rope Sizer 3 Stage

Model	DSSO0003
Speed	60 Meter Rope/Minute
Drive	1 HP
Sizing Wheel	Input 33 Output 21 mm
Dimensions	810 x 500 x 1320 mm
Weight	Net 325 Kg. Gross 475 Kg.

Lollipop Forming Machine

Model	DSFL1000
Capacity	1000 Kg./8 Hrs.*
Power	2 HP
Min. Size	16 x 16 x 16 mm
Max. Size	26 x 26 x 26 mm
Dimensions	1000 x 1000 x 1550 mm
Weight	Net 700 Kg. Gross 950 Kg.

Cooling Drum For Lollipop

Model	DSCD1000
Capacity	1000 Kg./8 Hrs.*
Drive	1 HP
Lenght	5000 mm
Dia	812 mm
Blower	3+3 HP
Weight	Net 1000 Kg. Gross 1700 Kg.



Five Deck Vibrating Cooler

Model	DSLCO005
Decks	Five
Deck Size	2440 x 815 mm
Dimensions	3000 x 1200 x 1830 mm
Drive	1 HP
Air Conditioner	3 Ton (optional)
Blower	3 x 0.25 HP
Weight	Net 1000 Kg., Gross 1500 Kg.



Lollipop Wrapping Double Twist

Model	DSLW0150
Capacity	150 Pcs./Minute**
Drive	3 HP
Min. Size	16 x 16 x 16 mm
Max. Size	26 x 26 x 26 mm
Dimensions	1800 x 1575 x 1650 mm
Heater/Blower	3 Kw. + 0.5 HP
Weight	Net 1100 Kg., Gross 1500 Kg.



LOLLIPOP PLANT

Flat Capacity 1000 Kg./8 Hrs.



Vaccum Batch Cooker

Model	DSCV0050
Capacity	1000 Kg/8 Hrs.
Drive	1+5=6 HP
Batch Size	50 Kg/Batch
Batch Time	20-25 Minutes (Conditional)
Dimensions	1220 x 940 x 2000 mm
Weight	Net 500 Kg., Gross 900 Kg.



Batch Cooling Plate

Model	DSCP0050
Capacity	50 Kg/Batch
Water Required	1-50 Ltr. Hour
Cooling Area	1828 x 1220
Dimensions	1930 x 965 x 914 mm
Weight	Net 500 Kg. Gross 750 Kg.
Usage	Single Side Cooling



Batch Fomer

Model	DSFM0075
Capacity	75 Kg/Batch
Drive	0.5+0.5=1 HP
Rope Dia	20-60 mm
Heater	1 Kw
Dimensions	2300 x 570 x 1700 mm
Weight	Net 450 Kg., Gross 850Kg.




Lollipop Forming and Wrapping

Model	DSLW0300
Capacity	250pcs./min
Drive	2 HP
Stick Length	90 mm
Heater	1 Kw
Dimensions	3300 x 1200 x 900 mm
Weight	Net 1800 Kg., Gross 2500Kg.



PULLING HEAD



Rope Sizer 3 Stage


Model	DSSO0003
Speed	60 Meter Rope/Minute
Drive	1 HP
Sizing Wheel	Input 33 Output 21 mm
Dimensions	810 x 500 x 1320 mm
Weight	Net 325 Kg. Gross 475 Kg.

Lollipop Forming Machine

Model	DSLPO800
Capacity	1000 Kg/8 Hrs.*
Drive	2 HP
Min Size	16 x 16 x 5 mm
Max Size	26 x 26 x 26 mm
Dimensions	900 x 650 x 1450 mm
Weight	Net 600 Kg., Gross 850 Kg.

Three Way Cooling Conveyor

Model	DSCT1000
Capacity	1000 Kg/8 Hrs.
Blower	3 HP
Wiremesh	300, 300, 300 mm
Dimensions	5180 x 550 x 940 mm
Weight	Net 650 Kg., Gross 1100 Kg.



Elevator Conveyor

Model	DSEC6000
Application	Lifting of Candy to height
Dimensions	According to requirement
Speed	According to requirement
Weight	Depending on size

Sandwich Wrapping Machine

Model	DSSW0300
Capacity	100 Pcs./Minute**
Drive	1 HP
Heater	2 Kw.
Dimensions	2000 x 850 x 1550 mm
Paper	All Type Laminates/ Heat Sealable Films
Weight	Net 700 Kg., Gross 1100 Kg.

Die Carrier

Model	DSDC0012
Max Height	1200 mm
Min. Height	Ground Level
Application	Lifting of Die
Dimensions	915 x 690 x 1600 mm
Weight	Net 190 Kg. Gross 330 Kg.





Lab Vacuum Cooker

Model	DLVC0010
Capacity	200 Kg/8 Hrs. (Conditional)
Drive	0.5 HP
Batch Size	10 Kg
Batch Time	20-25 Minutes (Conditional)
Dimensions	400 x 400 x 800 mm
Weight	150 Kg.,



Lab. Candy/Chicklet/Toffee Sheet Former

Model	DLSF0008
Capacity	200 Kg/8 Hrs.*
Drive	Hand Operated / 0.5 HP
Dimensions	400 x 400 x 400 mm
Weight	75 Kg.,
Application	Sheet Forming



Lab Roller Candy Former/Chicklet Cutter

Model	DLRF0008
Capacity	200 Kg/8 Hrs.*
Drive	Hand Operated / 0.5 HP
Dimensions	400 x 400 x 400 mm
Weight	75 Kg.,
Application	Candy / Chicklet Forming



Lab Extruder

Model	DLEB0050
Capacity	Dia 50 mm
Drive	0.5 HP
Dimensions	750 x 400 x 600 mm
Weight	Nt. 60 Kg. Gr. 75




Lab Mixture

Model	DLMB0010
Capacity	10 kg
Drive	0.5 H.P
Dimensions	600 x 450 x 460 mm
Weight	Nt. 60 Kg. Gr. 80 Kg.



Lab Sugar Pulling Machine

Model	DLPM0005
Capacity	5 Kg/Batch
Drive	0.5 HP
Dimensions	350 x 500 x 560 mm
Weight	150 Kg.
Application	Sugar Pulling of Candy or Toffee Batch



Lab. Candy Forming Line

Model	DLCP1000
Capacity	1000 Kg/8 Hrs.*
Min./Max. Size	16 x 16 mm / 30 x 30 mm
Centre Filling	Powder / Semi Solid
Drive	4 HP
Combination	Batch Former/2 Stage Rope Sizer / Forming Machine / 4 Way Conveyor
Wiremesh	150 / 300 / 450 / 600
Dimensions	2000 x 1000 x 1200 mm
Weight	800 Kg.,
Application	Candy Forming/Chicklet Cutting/Bubble Gum Cutting/ Toffee Cutting.



Lab Ball Former

Model	DLBF0000
Capacity	Length 280 mm
Drive	Manual
Dimensions	390x380x100
Weight	Nt. 35 Kg Gr. 50 Kg

Lab Toffee Cutting

Model	DLTC0000
Capacity	length 400 mm
Drive	Manual
Dimensions	650x100
Weight	Nt. 4 kg 10 Kg.

Lab Lollipop Forming

Model	DLLF0000
Capacity	One Lollipop at a time
Drive	Manual
Dimensions	300x150x250
Weight	Nt. 6 Kg. Gr. 15 Kg.

Lab SS Coating Pan

Model	DLCP0015
Capacity	5 Kg/Batch
Drive	0.25 HP
Pan Dia	450 mm
Heater & Blower	1 KW
Dimensions	450 x 450 x 600
Application	Coating of Sugar



BUBBLE GUM BALL GUM CHICKLET PLANTS



Sigma Mixer


Model	DSMB0200
Capacity	200 Ltr.
Drum Size	760 x 760 x 760 mm
Drive	15 + 1 HP
Dimensions	2200 x 1300 x 1475 mm
Steam Pressure	60 LBS/ Sq. Inch
Weight	Net 1000 Kg., Gross 1500 Kg.



Double Worm Extruder

Model	DSEB0006
Capacity	6000 Kg/8 Hrs.*
Drive	15 HP
Rope Dia	As Required
Dimensions	3000 x 1000 x 1600 mm
Rope Type	Hollow / Solid / Double
	Color any shape
Weight	Nt. 900 Kg. Gr. 1200 Kg.

Ball Gum / Chicklet Plant



Sigma Mixer

Model	DSMB0200
Capacity	200 Ltr.
Drum Size	760 x 760 x 760 mm
Drive	15 + 1 HP
Dimensions	2200 x 1300 x 1475 mm
Steam Pressure	60 LBS/ Sq. Inch
Weight	Net 1000 Kg., Gross 1500 Kg.



Double Worm Extruder

Model	DSEB0002
Capacity	1000 Kg/8 Hrs.*
Drive	5 HP
Rope Dia	As Required
Dimensions	1360 x 510 x 1200 mm
Rope Type	Hollow/ Solid/ Double
	Color any Shape
Weight	Nt. 500 Kg. Gr. 750 Kg.



Seven Deck Cooling Conveyor

Model	DSCB7200
Capacity	Depending On Cooling & Wrapping Machine Capacity
Drive	1 HP + AC
Air Conditioner	20 Tons (optional)
Application	Cooling of Gum rope
Dimensions	9030 x 1540 x 1850 mm
Weight	Nt.1200 Kg., Gr. 1900 Kg.



Cut & Fold Wrap Machine

Model	DSTF0300
Capacity	300 Pcs./Minutes**
Drive	3 HP
Min. Size	16 x 12 x 5 mm
Max Size	50 x 25 x 10 mm
Dimensions	1565 x 860 x 1820 mm
Wrapping Style	Fold Wrap
Attachment	Double/Single Twist (Opt.)
Weight	Net 1000 Kg., Gross 1500 Kg.



Ball Gum Cutting Machine

Model	DSBG1000
Capacity	1000 Kg./8 Hrs.*
Drive	1 HP
Size	As Required
Dimensions	1000 x 1200 x 1200 mm
Weight	Net 500 Kg., Gross 750 Kg.

Chicklet Cutting Machine

Model	DSCC2000
Capacity	2000 Kg/8 Hrs.*
Drive	1 HP
Size	As required
Dimensions	2000 x 700 x 1250 mm
Weight	Net 250 Kg., Gross 450 Kg.

Stainless Steel Coating Pan

Model	DSCP0900
Capacity	30 Kg/Batch
Drive	1 HP
Dimensions	1250 x 1100 x 1500 mm
Weight	Net 175 Kg., Gross 275 Kg.

Polishing Pan

Model	DSPP0900
Capacity	30 Kg/Batch
Drive	1 HP
Dimensions	1250 x 1100 x 1500 mm
Weight	Net 175 Kg., Gross 275 Kg.

*Depending on size and weight of product ** Depending on quality of product, wrapping paper and other allied conditions
Continuous improvement in machines and R&D may alter technical data and appearance of machines and we may not inform in advance to customers.
*** Confectionery products shown in this cataloge may not have been made on our machines.

Exhibitions Participation

Interpack Participation



Interpack 1996



Interpack 1999



Interpack 2002



Interpack 2005



Interpack 2008



Interpack 2014

Other Exhibitions



Pack Expo USA



Upakovka Russia



Interpack 1999



Aahar New Delhi




Aahar New Delhi



Aahar New Delhi

Factory Location



Dhiman Systems (India) Pvt. Ltd.

DSIL Group Complex (CIN:U29254PB1995PTC016119)

Regd. Office : 6031, Kapurthala Road

Nakodar-144 040 Punjab INDIA

E-mail dsilgroup@gmail.com

Website www.dsilgroup.com

Mob +91-9814066007, 9872966007

Ph +91-1821-220 707, 222 707

 www.facebook.com/dsilgroup

 +91 98140 66007

 +91 98140 66007

 www.twitter.com/dsilgroup

 www.youtube.com/dsilgroup

 www.skype.com/dsilgroup

 www.groups.yahoo.com/group/dsil